



World Strike 77 series – Adjustable
The whole range for quick and easy installation.



ASSA ABLOY

ASSA ABLOY, the global leader in
door opening solutions

World Strike 77 Series. effeff now adjustable.

effeff, the world largest electric strike manufacturer has enhanced the World Strike for cylindrical locks to vertical adjustment. One of the great advantages lies in the easy of installation and set up.

Features

- Horizontal Adjustment
- Vertical Adjustment
- UL pending
- Grade 1 & 3
- Fire rated pending
- World 1st in Design
- No cutting of frame
- Easy installation
- Fail safe / Fail secure
- Various voltages
- Patented design
- 5 years limited warranty
- Up to 1,500,000 cycles factory tested
- Stainless steel face plate
- Plates for metal and wooden frames
- Non handed

Simply replace the standard mechanical plate with the new World Strike – no drilling or cutting is necessary.

Further benefits are the concealed mounting to increased door frame stability and satisfy the architects needs.

World Strikes are designed for both heavy-duty and standard applications with the all-in-one 77V54 offering dual voltage and fail-safe/-secure operation. A deep latch cavity accommodates locksets with a 5/8" to 3/4" throw (3/4" requires 1/8" door gap) in metal, wood, or aluminium frames.

Optional

- Field selectable
- Monitoring
- Symmetrical

Application Cylindrical

- Works with all major cylindrical locks




Your Benefits

The New World Strike

Quick and
easy to install

STEP 1
Remove standard plate



STEP 2
Install the World Strike. No cutting, no drilling.



No cut out any more!

- Fast and easy, saves time and money.
- Simply replace the standard mechanical plate with the world strike.
- No cutting or drilling of frame required.
- Designed for heavy-duty and standard applications.


STEP 3
Done!




Cylindrical Version

effeff now adjustable.


The market leading World Strike has just been improved, now we offer even more reasons to select the World Strike, we have added Vertical and Horizontal adjustment. Just 2 more great reasons to select the effeff World Strike.



CE 77V17 Series
Grade 3




CE 77V54U
Grade 1



CE 77V142
Grade 1

How to order

	Function	Grade	Feature	Face Plate	Finish	Voltage	Amps
77V17 Series	77V17 (fail secure)	3	-- (no monitoring)	27A (short)	35 (Stainless Steel)	E41 (12V DC; fail secure)	.27
			RR (with monitoring)			F41 (24V DC; fail secure)	.12
	77V37 (fail safe)	3	-- (no monitoring)	27A (short)	35 (Stainless Steel)	E91 (12V DC; fail safe)	.235
			RR (with monitoring)			F91 (24V DC; fail safe)	.150
77V54U Series	77V54U (fail secure / fail safe)	1	- (no monitoring)	27A (short)	35 (Stainless Steel)	Q31 (12/24V AC/DC)	.210 (12V) .105 (24V)
			R (with monitoring)				
77V142 Series	77V142 (fail secure / fire rated)	1	F (no monitoring)	27A (short)	35 (Stainless Steel)	Q34 (12/24V AC/DC)	.210 (12V) .105 (24V)
			R (with monitoring)				



i.E.
You need 77V37 series, fail safe, monitored and 24V DC.

ASSA ABLOY is the
global leader in door
opening solutions,
dedicated to satisfying
end-user needs for
security, safety and
convenience.



ASSA ABLOY
Sicherheitstechnik GmbH
Bildstockstrasse 20
72458 Albstadt
GERMANY
Phone +49 7431 123-0
Fax +49 7431 123-240
info@assaabloy.de
www.assaabloy.de

Alarm Controls Corporation
19 Brandywine Drive
PO Box 280
Deer Park, NY 11729
USA
Phone +1 631-586-4220
Fax +1 631-586-6500
ffsales@alarmcontrols.com
www.alarmcontrols.com