



World Strike 77 series – Adjustable

effeff

ASSA ABLOY

The whole range for quick and easy installation.


Experience a safer  
and more open world

# Your Benefits

## The New World Strike

Quick and  
easy to install

**STEP 1**  
Remove standard plate



**STEP 2**  
Install the World Strike. No cutting, no drilling.



No cut out any more!

- Fast and easy, saves time and money.
- Simply replace the standard mechanical plate with the world strike.
- No cutting or drilling of frame required.
- Designed for heavy-duty and standard applications.

**STEP 3**  
Done!



## World Strike 77 Series. effeff now adjustable.

effeff, the world largest electric strike manufacturer has enhanced the World Strike for cylindrical locks to vertical adjustment. One of the great advantages lies in the easy of installation and set up.

### Features

- Horizontal Adjustment
- Vertical Adjustment
- UL pending
- Grade 1 & 3
- Fire rated pending
- World 1st in Design
- No cutting of frame
- Easy installation
- Fail safe / Fail secure
- Various voltages
- Patented design
- 5 years limited warranty
- Up to 1,500,000 cycles factory tested
- Stainless steel face plate
- Plates for metal and wooden frames
- Non handed

**Simply replace the standard mechanical plate with the new World Strike – no drilling or cutting is necessary.**

Further benefits are the concealed mounting to increased door frame stability and satisfy the architects needs.

World Strikes are designed for both heavy-duty and standard applications with the all-in-one 77V54 offering dual voltage and fail-safe/-secure operation. A deep latch cavity accommodates locksets with a 5/8" to 3/4" throw (3/4" requires 1/8" door gap) in metal, wood, or aluminium frames.

### Optional

- Field selectable
- Monitoring
- Symmetrical

### Application Cylindrical


- Works with all major cylindrical locks




# Cylindrical Version

effeff now adjustable.


The market leading World Strike has just been improved, now we offer even more reasons to select the World Strike, we have added Vertical and Horizontal adjustment. Just 2 more great reasons to select the effeff World Strike.



**CE** 77V17 Series  
Grade 3




**CE** 77V54U  
Grade 1



**CE** 77V142  
Grade 1

# How to order

	Function	Grade	Feature	Face Plate	Finish	Voltage	Amps
77V17 Series (fail secure)	77V17	3	-- (no monitoring)	27A (short)	35 (Stainless Steel)	E41 (12V DC; fail secure)	.27
			RR (with monitoring)			F41 (24V DC; fail secure)	.12
77V37 (fail safe)	77V37	3	-- (no monitoring)	27A (short)	35 (Stainless Steel)	E91 (12V DC; fail safe)	.235
			RR (with monitoring)			F91 (24V DC; fail safe)	.150
77V54U Series (fail secure / fail safe)	77V54U	1	- (no monitoring) R (with monitoring)	27A (short)	35 (Stainless Steel)	Q31 (12/24V AC/DC)	.210 (12V) .105 (24V)
77V142 Series (fail secure / fire rated)	77V142	1	F (no monitoring) R (with monitoring)	27A (short)	35 (Stainless Steel)	Q34 (12/24V AC/DC)	.210 (12V) .105 (24V)



i.E.  
You need 77V37 series, fail safe, monitored and 24V DC.

The ASSA ABLOY Group is the global leader in access solutions. Every day we help people feel safe, secure and experience a more open world.

**ASSA ABLOY**  
Opening Solutions

ASSA ABLOY  
Sicherheitstechnik GmbH  
Bildstockstraße 20  
72458 Albstadt  
GERMANY  
Tel. +49 7431 123-700  
Fax +49 7431 123-258  
albstadt@assaabloy.com  
www.assaabloyopeningsolutions.de

© ASSA ABLOY | We reserve the right to make technical modifications.  
2.1901-123 0G0 00